

rision of Planning & Zoning	A - Partar Alankar (affinancia)
Second Street	Application Number (office use):
ahoga Falls, OH 44221	Submittal Date (office use):

Parcel #	Planning Area: _	 Zoning C	ode:

	\$25.00 Z	oning Certifi	icate Application/	Fence
1. Applicant	Information	☐ Owi	ner Contractor	
Contact Person & Company:			Email Address:	
Address (if different than Site Address):		Phone number:		
2. Fence Info	rmation	* Please consu	It Fence Regulations for specific code	e requirements.
Property / Site Addre	SS:			·
LOT TYPE:				
Residential	FENCE LOCATION	FENCE HEIGHT	FENCE TYPE	FENCE MATERIAL
☐ Commercial	Front (4' max.)		FRONT: Picket or Ornamental	
☐ Industrial	Rear (6' max.)*			
☐ Civic	Side (6' max.)*			
☐ Corner lot?	Construction Cost:	*Maximum height for chain link is 4'		
3. Required D	Oocuments			
		nensions, all buildings a	nd location of proposed fence.	
☐ Fence (photo) ex	ample, manufacturers or	retail specification shee	ets	
4. Applicant	Certification			
we hereby agree to standards. I also here hake this application	conform to the City of eby certify that all state	ements made on this	eral Development Code, Section application are true and complete the above premises. Date:	on 1145.09 – Fence Design lete and that I have a legal right to
Signature:				
5. Office Use	(only)			
☐ Approved (requi	ires stamp)	nied (state reasons)	Cash Check Ch MC/Visa/Discover Final Inspection Appro	oval Date:
Email complete	d documents to: Developm	nent@cityofcf.com		

Zoning Permit Application/Fence



Tel: 330-971-8135

Application Directions

Fencing Design Standards/Cuyahoga Falls General Development Code 1145.09:

- A <u>Front and Street-Side Fencing.</u> All fencing in front of the front building line, or on the street-side on corner lots shall:
 - 1. Be limited to no higher than 4 feet; and
 - 2. Have a void of at least 50% up to 4 feet, so that a 4-foot high picket fence shall have a picket to void ratio of 2:1 or greater transparency.
- B <u>Side and Rear Fencing.</u> All side and rear fencing located behind the front building line shall:
 - 1. Be limited to no higher than 6 feet;
 - 2. On corner lots, street-side fencing within 10 feet of the public right-of-way shall meet the standards in subsection A.
 - 3. All other side or rear fencing may have a solid screen up to 6 feet.
 - 4. Where Limited and Conditional Uses are allowed, side or rear fencing up to 8 feet is permitted with approval of the Planning Director.
 - 5. In MU Districts where wood or vinyl fencing is used, such fence shall have masonry supports.
 - a. The supports shall be spaced no more than 16 feet.
 - b. The required screen shall have 100% opacity.
 - 6. In E-1 and M-1 Districts the use of barbed wire on fencing is permitted, with approval of Planning Director.
- C Other Fencing Design Standards
 - 1. All fencing located along adjacent lot lines shall be constructed so that either:
 - a. The face of the fence is on the property line; or
 - b. The face of the fence is at least 3 feet from the property line. Any areas set back 3 feet or more from the property line, which could become enclosed by other similarly located fences, shall provide at least one gate for access and maintenance equipment. Fences constructed less than 3 feet must provide proper evidence for variation.
 - c. On lots or parcels of single ownership abutting fences are prohibited. When replacing fencing, the existing old fence must be removed.
 - d. The property owner or agent is responsible for determining the location of all property lines.
 - All fences shall be constructed so that the finished side faces adjacent property or any public right-of-way.
 - 3. Fences shall be constructed out of any of the following materials:
 - a. Wood or vinyl simulating wood;
 - b. Wrought iron or aluminum simulating wrought iron;
 - c. Stone, brick, concrete with stone or brick veneer, or pre-cast concrete simulated stone or brick; or
 - d. Chain link or vinyl clad chain link, in the rear or side yard only with a maximum height of 4' feet in all districts except for E-1 and M-1, where rear or side yard maximum height is 8 feet.
 - e. Electrified fencing for domesticated animals in the NP-1, R-R and R-1 districts only.
 - f. Other materials commonly used in the judgment of the Planning Director for fencing or walls or other materials he or she approves.

Permit Requirements & Fees:

Complete Zoning Certificate application for Fences and complete a site (plot) plan with dimensions showing the location of the fence. The fee is \$25.00.)

Contacts: Cuyahoga Falls Planning Division, City Hall, 2310 Second Street, Cuyahoga Falls, Ohio 44221, 330-971-8135.

Sample Site Plan **Fence** Proposed 6' high privacy fence **Existing** Garage **Existing Dwelling** Proposed 4' high picket fence Property Line Sidewalk Locate at least 1 foot from sidewalk Right-of-Way

Fence installation can be either ON the property line, or 3' or more off of the property line. There is no allowance for anything in between 0'-3'.

Using the page below, please draw a site plan showing the proposed fence, shed or pool. You may also use an aerial view of your property from the Summit County GIS, Google or other as a base map.

